



Micro-Factors Sample Data

(pg/mL)	A001D	I006D	J001D	J001K	M001F	A001C	I001S	L003D	N001F	O003G	T002K	Controls
ITAC	46	73	54	59.9	55	40	38	39	49	36	38	162
GM-CSF	532	2916	3003	2289	4581	193	69	109	192	154	381	50
ractalkin	47	36	72	61	51	602	563	197	664	408	665	644
IFNg	19	23	37	35	24	64	88	55	92	56	75	13
IL-10	45	21	68	37	37	27	48	8	39	21	98	61
MIP-3a	23	24	56	36	55	28	29	23	31	42	44	83
L-12 (p70)	5	8	12	12	7	9	15	8	13	4	16	25
IL-13	21	8	19	82	23	10	31	15	38	8	72	4
IL-17A	16	15	28	31	21	20	33	22	35	16	30	50
IL-1b	2	4	7	6	5	7	9	2	6	4	12	6
IL-2	6	7	16	10	9	7	11	5	8	4	11	5
IL-21	7	10	15	6	4	5	18	9	7	3	14	12
IL-4	79	83	119	124	148	171	219	158	231	138	251	45
IL-23	556	1293	871	975	955	811	1480	533	1513	531	1740	325
IL-5	8	5	7	22	6	5	8	6	9	5	13	12
IL-6	3	4	9	9	7	5	9	7	10	3	13	8
IL-7	25	16	24	20	16	18	34	23	29	16	40	23
IL-8	6	9	3	15	41	6	8	8	10	8	29	24
MIP-1a	28	28	33	38	57	37	44	34	49	36	52	17
MIP-1b	54	27	65	39	38	49	45	38	42	42	63	34
TNFa	8	7	14	10	18	13	14	12	16	13	21	25